

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : A07960 ZEP TWISTER ULTRA 652101 20N15

Material number : 000000000000652101

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : 404-352-1680

**Emergency telephone numbers****For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Lubricant

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | light brown                        |
| Odour      | solvent-like                       |

**GHS Classification**Flammable aerosols : Category 2  
Gases under pressure : Liquefied gas**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H223 Flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

**Storage:**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical name                                          | CAS-No.    | Concentration [%] |
|--------------------------------------------------------|------------|-------------------|
| Distillates (petroleum), hydrotreated light            | 64742-47-8 | >= 70 - < 90      |
| propane                                                | 74-98-6    | >= 5 - < 10       |
| Solvent naphtha (petroleum), heavy aliph.              | 64742-96-7 | >= 5 - < 10       |
| butane                                                 | 106-97-8   | >= 5 - < 10       |
| Distillates (petroleum), hydrotreated heavy naphthenic | 64742-52-5 | >= 1 - < 3        |

The exact percentages of disclosed substances are withheld as trade secrets.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.  
Get medical attention if symptoms occur.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
Wash off immediately with plenty of water for at least 15 minutes.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before reuse.
- In case of eye contact : Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.  
Rinse immediately with plenty of water for at least 15 minutes.
- If swallowed : Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.
- Most important symptoms : Effects may be delayed, symptoms may include minor eye or

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

and effects, both acute and delayed

skin irritation.  
Overexposure may cause mild eye or skin irritation.

Notes to physician

: Treat symptomatically. Symptoms may be delayed.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon dioxide (CO<sub>2</sub>)  
Carbon monoxide  
Smoke

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Remove all sources of ignition.  
Evacuate personnel to safe areas.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Sweep up or vacuum up spillage and collect in suitable container for disposal.

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Take precautionary measures against static discharges.  
 Always replace cap after use.  
 Dispose of rinse water in accordance with local and national regulations.  
 Do not breathe vapours or spray mist.  
 Avoid exposure - obtain special instructions before use.  
 Provide sufficient air exchange and/or exhaust in work rooms.
- Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
 No smoking.  
 Keep in a dry, cool and well-ventilated place.  
 Observe label precautions.  
 Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components                                  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|---------------------------------------------|------------|----------------------------------|---------------------------------------------------|-----------|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | TWA                              | 500 ppm<br>2,000 mg/m <sup>3</sup>                | OSHA Z-1  |
|                                             |            | TWA                              | 400 ppm<br>1,600 mg/m <sup>3</sup>                | OSHA P0   |
|                                             |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | OSHA Z-1  |
|                                             |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | OSHA P0   |
|                                             |            | TWA (Mist)                       | 5 mg/m <sup>3</sup>                               | NIOSH REL |
|                                             |            | ST (Mist)                        | 10 mg/m <sup>3</sup>                              | NIOSH REL |
|                                             |            | PEL<br>(particulate)             | 5 mg/m <sup>3</sup>                               | CAL PEL   |
| propane                                     | 74-98-6    | TWA                              | 1,000 ppm                                         | ACGIH     |
|                                             |            | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | NIOSH REL |
|                                             |            | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | OSHA Z-1  |
|                                             |            | TWA                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | OSHA P0   |
|                                             |            | PEL                              | 1,000 ppm<br>1,800 mg/m <sup>3</sup>              | CAL PEL   |

## A07960 ZEP TWISTER ULTRA 652101 20N15

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

|                                                           |            |                                |                                    |           |
|-----------------------------------------------------------|------------|--------------------------------|------------------------------------|-----------|
| butane                                                    | 106-97-8   | TWA                            | 800 ppm<br>1,900 mg/m <sup>3</sup> | NIOSH REL |
|                                                           |            | TWA                            | 800 ppm<br>1,900 mg/m <sup>3</sup> | OSHA P0   |
|                                                           |            | PEL                            | 800 ppm<br>1,900 mg/m <sup>3</sup> | CAL PEL   |
| Distillates (petroleum),<br>hydrotreated heavy naphthenic | 64742-52-5 | TWA (Mist)                     | 5 mg/m <sup>3</sup>                | OSHA Z-1  |
|                                                           |            | TWA<br>(Inhalable<br>fraction) | 5 mg/m <sup>3</sup>                | ACGIH     |

**Engineering measures** : effective ventilation in all processing areas

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Access to clean water to rinse eyes must be available, options include: eye wash stations or showers, or eye wash bottles with pure water.  
Safety glasses

Skin and body protection

: Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : light brown

Odour : solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : Not applicable

Boiling point : Not applicable

Flash point :

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

|                                        |                           |
|----------------------------------------|---------------------------|
|                                        | Not applicable            |
| Evaporation rate                       | : No data available       |
| Flammability (solid, gas)              | : Flammable aerosol.      |
| Upper explosion limit                  | : No data available       |
| Lower explosion limit                  | : No data available       |
| Vapour pressure                        | : No data available       |
| Density                                | : 0.791 g/cm <sup>3</sup> |
| Solubility(ies)                        |                           |
| Water solubility                       | : insoluble               |
| Solubility in other solvents           | : not determined          |
| Partition coefficient: n-octanol/water | : No data available       |
| Auto-ignition temperature              | : not determined          |
| Thermal decomposition                  | : No data available       |
| Viscosity                              |                           |
| Viscosity, kinematic                   | : not determined          |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents                                                                                    |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Potential Health Effects**

|                              |                                                                              |
|------------------------------|------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                |
| Symptoms of Overexposure     | : Effects may be delayed, symptoms may include minor eye or skin irritation. |

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

**Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Acute toxicity****Product:**

Acute dermal toxicity : Acute toxicity estimate : 3,465 mg/kg  
Method: Calculation method

**Components:****Distillates (petroleum), hydrotreated light:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 4.6 mg/l  
Exposure time: 6 h

Acute dermal toxicity : LD50 Rat: > 2,000 mg/kg

**Distillates (petroleum), hydrotreated heavy naphthenic:**

Acute oral toxicity : LD50 Rat: > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat: > 5 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 Rabbit: > 5,000 mg/kg

**Skin corrosion/irritation****Product:**

Remarks: May irritate skin.

**Serious eye damage/eye irritation****Product:**

Remarks: May irritate eyes.

**Respiratory or skin sensitisation**

No data available

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product:**

Remarks: No data available

**Components:****Distillates (petroleum), hydrotreated light:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential****Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:****butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

No data available

**Other adverse effects**

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

No data available

**Product:**

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

**Components:****Distillates (petroleum), hydrotreated light :**

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

**SECTION 14. TRANSPORT INFORMATION**

|                                                                       |
|-----------------------------------------------------------------------|
| Transportation Regulation: 49 CFR (USA):<br>ORM-D, CONSUMER COMMODITY |
|-----------------------------------------------------------------------|

|                                                                                        |
|----------------------------------------------------------------------------------------|
| Transportation Regulation: IMDG (Vessel):<br>UN1950, AEROSOLS, 2.1, - Limited quantity |
|----------------------------------------------------------------------------------------|

|                                                                                                      |
|------------------------------------------------------------------------------------------------------|
| Transportation Regulation: IATA (Cargo Air):<br>UN1950, Aerosols, flammable, 2.1, - Limited quantity |
|------------------------------------------------------------------------------------------------------|

|                                                                                                          |
|----------------------------------------------------------------------------------------------------------|
| Transportation Regulation: IATA (Passenger Air):<br>UN1950, Aerosols, flammable, 2.1, - Limited quantity |
|----------------------------------------------------------------------------------------------------------|

|                                                                                                  |
|--------------------------------------------------------------------------------------------------|
| Transportation Regulation: TDG (Canada):<br>UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity |
|--------------------------------------------------------------------------------------------------|

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

---

**SECTION 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Gases under pressure

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

**The components of this product are reported in the following inventories:**

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

## A07960 ZEP TWISTER ULTRA 652101 20N15

Version 3.0


Revision Date 04/14/2018

Print Date 12/20/2019

## SECTION 16. OTHER INFORMATION

## Further information

## NFPA:



## HMIS III:

|                 |   |
|-----------------|---|
| HEALTH          | 1 |
| FLAMMABILITY    | 3 |
| PHYSICAL HAZARD | 1 |

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

## OSHA - GHS Label Information:

Hazard pictograms



Signal word

: **Warning:**

Hazard statements

: Flammable aerosol. Contains gas under pressure; may explode if heated.

Precautionary statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source.  
 Pressurized container: Do not pierce or burn, even after use.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 3.0        |
| Revision Date: | 04/14/2018 |
| Print Date:    | 12/20/2019 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

**A07960 ZEP TWISTER ULTRA 652101 20N15**

Version 3.0

Revision Date 04/14/2018

Print Date 12/20/2019