

# SAFETY DATA SHEET

Version 6.13 Revision Date 09/07/2024 Print Date 09/08/2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Perchloric acid

Product Number : 244252 Brand : SIGALD

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing liquids (Category 1), H271 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

SIGALD - 244252



Page 1 of 12

Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373 For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

	and Labor crements, including proceductionally statements			
	Pictogram			
	Signal Word	Danger		
	Hazard Statements H271 H290 H302 H314 H373	May cause fire or explosion; strong oxidizer. May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. May cause damage to organs (Thyroid) through prolonged or repeated exposure.		
Precautionary Statements				
	P210 P220 P221 P234 P260 P264	Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original container. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling.		
	P270	Do not eat, drink or smoke when using this product.		
	P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.		
	P283 P301 + P312 + P330	Wear fire/ flame resistant/ retardant clothing.  IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.		
	P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.		
	P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.		
	P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.		
	P306 + P360	IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.		
	P314	Get medical advice/ attention if you feel unwell.		
	P363	Wash contaminated clothing before reuse.		
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.		
	P371 + P380 + P375	In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.		
	P390	Absorb spillage to prevent material damage.		
	P405	Store locked up.		
	P406	Store in corrosive resistant container with a resistant inner liner.		
	P501	Dispose of contents/ container to an approved waste disposal		

SIGALD - 244252 Page 2 of 12

plant.



## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms : PCA

Molecular weight : 100.46 g/mol

Component		Classification	Concentration
Perchloric acid			
CAS-No. EC-No. Index-No. Registration number	7601-90-3 231-512-4 017-006-00-4 01-2120066865-44- XXXX	Ox. Liq. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT RE 2; H271, H290, H302, H314, H318, H373 Concentration limits: >= 50 %: Skin Corr. 1A, H314; 10 - < 50 %: Skin Corr. 1B, H314; 1 - < 10 %: Skin Irrit. 2, H315; 1 - < 10 %: Eye Irrit. 2, H319; > 50 %: Ox. Liq. 1, H271; 1 - 50 %: Ox. Liq. 2, H272; 1 - 50 %: Ox. Liq. 2, H272;	>= 70 - < 90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

SIGALD - 244252

Page 3 of 12



## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Chlorine

Hydrogen chloride gas

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire. Has a fire-promoting effect due to release of oxygen.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

For disposal see section 13.

SIGALD - 244252



### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

### **Hygiene** measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

No metal containers.

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

## Storage class

Storage class (TRGS 510): 5.1A: Strongly oxidizing hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

# **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

## Personal protective equipment

### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

SIGALD - 244252

Page 5 of 12



Full contact

Material: butvl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 420 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

protective clothing

### Respiratory protection

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented. required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odorc) Odor Thresholdd) pHNo data availableNo data available

e) Melting -18 °C (-0.40 °F)

point/freezing point

f) Initial boiling point ca.203 °C ca.397 °F at 1,013 hPa

and boiling range

SIGALD - 244252

Millipore SigMa g) Flash point ()No data available
 h) Evaporation rate No data available
 i) Flammability (solid, gas)

j) Upper/lower No data available flammability or explosive limits

k) Vapor pressure 9.1 hPa at 25 °C (77 °F)

I) Vapor density No data available

m) Density 1.664 g/mL at 25 °C (77 °F)

Relative density
 No data available
 Water solubility
 completely miscible
 Partition coefficient:
 n-octanol/water

p) Autoignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data availables) Explosive properties Not explosive

t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Amines and alcohols cause exothermic reactions.

### 10.4 Conditions to avoid

no information available

### 10.5 Incompatible materials

Strong bases, Strong acids, Amines, Phosphorus halides, Alcohols, Organic materials, Powdered metals, Strong reducing agentsStrong oxidizing agentsMetals

SIGALD - 244252

\_\_\_\_

Page 7 of 12

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Mixture**

## **Acute toxicity**

LD50 Oral - Rat - < 2,000 mg/kg

(OECD Test Guideline 423)

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

## Skin corrosion/irritation

Remarks: Mixture causes severe burns.

# Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

## Respiratory or skin sensitization

No data available

## **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure.

- Thyroid

## **Aspiration hazard**

No data available

SIGALD - 244252

**MILLIPORE** 

Page 8 of 12

#### 11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

### Perchloric acid

### **Acute toxicity**

LD50 Oral - Rat - 1,100 mg/kg Remarks: Behavioral:Excitement.

Lungs, Thorax, or Respiration: Dyspnea.

Nutritional and Gross Metabolic: Changes in: Body temperature decrease.

(RTECS)

Inhalation: Corrosive to respiratory system.

Dermal: No data available

# Skin corrosion/irritation

Remarks: Causes severe burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

## Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Thyroid

## Aspiration hazard

No data available

SIGALD - 244252



### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Mixture**

Toxicity to daphnia Immobilization EC50 - Daphnia magna (Water flea) - > 100 mg/l -

and other aquatic 48 h

invertebrates (OECD Test Guideline 202)

## 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

Do not empty into drains.

Neutralization will not reduce ecotoxic effects.

## **Components**

### Perchloric acid

Toxicity to fish flow-through test EC50 - Lepomis macrochirus (Bluegill sunfish)

- 1,470 mg/l - 96 h

(US-EPA)

Remarks: The value is given in analogy to the following

static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -

substances: Sodium perchlorate monohydrate

Toxicity to daphnia

and other aquatic invertebrates

Toxicity to algae

48 h (OECD Test Guideline 202)

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 435.7 mg/l - 72 h (OECD Test Guideline 201)

Remarks: The value is given in analogy to the following

substances: Sodium perchlorate

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h

(ISO 8192)

Remarks: The value is given in analogy to the following

substances: Sodium perchlorate

Toxicity to semi-static test NOEC - Danio rerio (zebra fish) - 10 mg/l - 12

SIGALD - 244252 Page 10 of 12

fish(Chronic toxicity) Weeks

(OECD Test Guideline 215)

Remarks: The value is given in analogy to the following

substances: Ammonium perchlorate

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1873 Class: 5.1 (8) Packing group: I EMS-No: F-G, S-Q

Proper shipping name: PERCHLORIC ACID

**IATA** 

UN number: 1873 Class: 5.1 (8) Packing group: I

Proper shipping name: Perchloric acid IATA Passenger: Not permitted for transport

## **SECTION 15: Regulatory information**

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

# **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Reactivity Hazard Hazards Acute Health Hazard

SIGALD - 244252 Page 11 of 12



**SARA 313** 

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **US State Regulations**

## **Massachusetts Right To Know**

Perchloric acid	7601-90-3
water	7732-18-5

# Pennsylvania Right To Know

Perchloric acid 7601-90-3

**Maine Chemicals of High Concern** 

water 7732-18-5

**Vermont Chemicals of High Concern** 

water 7732-18-5

**Washington Chemicals of High Concern** 

water 7732-18-5

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### SECTION 16: Other information

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.13 Revision Date: 09/07/2024 Print Date: 09/08/2024

SIGALD - 244252



Page 12 of 12