

Material Safety Data Sheet

Version 4.4

Revision Date 06/05/2012

Print Date 06/11/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Trimethylamine

Product Number : 243205

Brand : Aldrich

Supplier : Sigma-Aldrich
3050 Spruce Street
SAINT LOUIS MO 63103
USA

Telephone : +1 800-325-5832

Fax : +1 800-325-5052

Emergency Phone # (For both supplier and manufacturer) : (314) 776-6555

Preparation Information : Sigma-Aldrich Corporation
Product Safety - Americas Region
1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable gas, Compressed Gas, Toxic by ingestion, Irritant

Other hazards which do not result in classification

Lachrymator.

GHS Classification

Flammable gases (Category 1)

Gases under pressure (Liquefied gas)

Acute toxicity, Oral (Category 4)

Acute toxicity, Inhalation (Category 4)

Skin irritation (Category 2)

Serious eye damage (Category 1)

Specific target organ toxicity - single exposure (Category 3)

GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

H220

Extremely flammable gas.

H280

Contains gas under pressure; may explode if heated.

H302 + H332

Harmful if swallowed or if inhaled

H315

Causes skin irritation.

H318

Causes serious eye damage.

H335

May cause respiratory irritation.

Precautionary statement(s)

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P280

Wear protective gloves/ eye protection/ face protection.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P410 + P403

Protect from sunlight. Store in a well-ventilated place.

HMIS Classification

Health hazard: 2

Flammability: 4

Physical hazards: 3

NFPA Rating

Health hazard: 2

Fire: 4

Reactivity Hazard: 0

Potential Health Effects

Inhalation

May be harmful if inhaled. Causes respiratory tract irritation.

Skin

May be harmful if absorbed through skin. Causes skin irritation.

Eyes

Causes eye irritation.

Ingestion

Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C_3H_9N
Molecular Weight : 59.11 g/mol

Component		Concentration
Trimethylamine		
CAS-No.	75-50-3	-
EC-No.	200-875-0	
Index-No.	612-001-00-9	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of an oxidizing gas (eg air), a source of ignition, and when the concentration of the gas is between the lower and upper explosive limits. Keep away from heat/sparks/open flame/hot surface/oxidizing gas. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

7. HANDLING AND STORAGE**Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: 2 - 8 °C

Contents under pressure. Moisture sensitive. Refrigerate before opening.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value	Control parameters	Basis
Trimethylamine	75-50-3	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Upper Respiratory Tract irritation			
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Upper Respiratory Tract irritation			
		TWA	10 ppm 24 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL	15 ppm 36 mg/m ³	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	1 ppm	USA. Workplace Environmental Exposure Levels (WEEL)
		TWA	10 ppm 24 mg/m ³	USA. NIOSH Recommended Exposure Limits
	May be used in an aqueous solution (typically 25%, 30%, or 40% TMA.			
		ST	15 ppm 36 mg/m ³	USA. NIOSH Recommended Exposure Limits
	May be used in an aqueous solution (typically 25%, 30%, or 40% TMA.			

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash protection

Material: Fluorinated rubber

Minimum layer thickness: 0.7 mm

Break through time: > 30 min

Material tested: Vitoject® (Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form Liquefied gas

Colour colourless

Safety data

pH no data available

Melting point/freezing point Melting point/range: -117 °C (-179 °F) - lit.

Boiling point 3 - 4 °C (37 - 39 °F) - lit.

Flash point -7 °C (19 °F) - closed cup

Ignition temperature 190 °C (374 °F)

Autoignition temperature no data available

Lower explosion limit 2 %(V)

Upper explosion limit 11.6 %(V)

Vapour pressure 916.74 hPa (687.61 mmHg) at 21 °C (70 °F)

Density 0.63 g/cm³ at 20 °C (68 °F)

Water solubility no data available

Partition coefficient: n-octanol/water	no data available
Relative vapour density	2.04 - (Air = 1.0)
Odour	no data available
Odour Threshold	no data available
Evaporation rate	no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Materials to avoid

Strong oxidizing agents, Brass, Magnesium, Zinc, Copper, Mercury/mercury oxides., Tin/tin oxides

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 500 mg/kg

Inhalation LC50

LC50 Inhalation - mouse - 19,000 mg/m3

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Excitement. Behavioral:Muscle contraction or spasticity.

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Reproductive toxicity - mouse - Intraperitoneal

Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth). Effects on Newborn: Physical.

no data available

Teratogenicity

Developmental Toxicity - mouse - Intraperitoneal

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	May be harmful if inhaled. Causes respiratory tract irritation.
Ingestion	Toxic if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

Additional Information

RTECS: PA0350000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish LC50 - *Oryzias latipes* - 1,000 mg/l - 48 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION**DOT (US)**

UN number: 1083 Class: 2.1
Proper shipping name: Trimethylamine, anhydrous
Reportable Quantity (RQ): 100 lbs
Marine pollutant: No
Poison Inhalation Hazard: No

IMDG

UN number: 1083 Class: 2.1
Proper shipping name: TRIMETHYLAMINE, ANHYDROUS
Marine pollutant: No

EMS-No: F-D, S-U

IATA

UN number: 1083 Class: 2.1
Proper shipping name: Trimethylamine, anhydrous
IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION**OSHA Hazards**

Flammable gas, Compressed Gas, Toxic by ingestion, Irritant

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Sudden Release of Pressure Hazard, Acute Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Trimethylamine	75-50-3	1994-04-01

Pennsylvania Right To Know Components

	CAS-No.	Revision Date
Trimethylamine	75-50-3	1994-04-01

New Jersey Right To Know Components

	CAS-No.	Revision Date
Trimethylamine	75-50-3	1994-04-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION**Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
